

SAFETY DATA SHEET

Revision Date 14-Jun-2015 Version 6

1. IDENTIFICATION

Product Name 10% Formalin Fixative, Neutral, Phosphate Buffered

Product Code 4499, 24499-, 34499

Synonyms Neutral Buffered Formalin, 10% NBF

Recommended Use Routine histology fixative. For laboratory and in-vitro diagnostic use only.

Company E K Industries, Inc.

1403 Herkimer St. Joliet, IL 60432 Tel. (800) 283-4244

Emergency Telephone Call CHEMTREC 1-800-424-9300 (EKI CCN 7453)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Inhalation (Gases) | Category 4 |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (single exposure) | Category 1 |
| Flammable liquids | Category 4 |

Label elements

Signal word

Danger

Hazard statements

Harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. Causes damage to organs.

Combustible liquid



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal

protective equipment as required. Use only outdoors or in a well-ventilated area. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor/physician.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% |
|-----------------------------|-----------|----------|
| Water | 7732-18-5 | >90 |
| Formaldehyde | 50-00-0 | 3.5-4.0 |
| Methyl alcohol | 67-56-1 | 1.0-1.5 |
| Sodium Phosphate, dibasic | 7558-79-4 | <1 |
| Sodium Phosphate, monobasic | 7558-80-7 | <1 |

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Immediately flush with plenty of water for at least 15 minutes, separating eyelids

occasionally. Remove contact lenses if present. Get immediate medical attention.

Skin contact Wash thoroughly with soap and water while removing contaminated garments. Get medical

attention if irritation develops.

Inhalation Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion Do NOT induce vomiting unless instructed to do so by medical personnel. If conscious,

rinse mouth and give several glasses of water to drink. Never give anything by mouth to an

unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms Causes skin, eye and respiratory tract irritation. If swallowed, causes GI disturbances.

May cause allergic skin reaction.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

CO2, dry chemical, dry sand, alcohol-resistant foam Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Revision Date 14-Jun-2015

Specific hazards arising from the chemical

May cause sensitization by skin contact. The product causes irritation of eyes, skin and mucous membranes.

Hazardous combustion products No information available.

Protective equipment and precautions for firefighters

Firefighters should wear self-contained breathing apparatus with full facepiece operated in pressure-demand or other positive pressure mode.

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical

Properties -

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in

confined areas.

Environmental precautions Prevent product from entering drains. Should not be released into the environment.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Absorb spill with inert material, scoop up and containerize for disposal.

7. HANDLING AND STORAGE

Precautions for safe handlingHandle in accordance with good industrial hygiene and safety practice.

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Store at 15C to 25C.

Incompatible materials Oxidizers. Bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|----------------|------------------|---------------------------------------|-----------------------------|
| Formaldehyde | Ceiling: 0.3 ppm | TWA: 0.75 ppm | IDLH: 20 ppm |
| 50-00-0 | | (vacated) TWA: 3 ppm unless | Ceiling: 0.1 ppm 15 min |
| | | specified in 1910.1048 | TWA: 0.016 ppm |
| | | (vacated) STEL: 10 ppm 30 min | |
| | | unless specified in 1910.1048 | |
| | | (vacated) Ceiling: 5 ppm unless | |
| | | specified in 1910.1048 | |
| | | STEL: 2 ppm see 29 CFR | |
| | | 1910.1048 | |
| Methyl alcohol | STEL: 250 ppm | TWA: 200 ppm | IDLH: 6000 ppm |
| 67-56-1 | TWA: 200 ppm | TWA: 260 mg/m ³ | TWA: 200 ppm |
| | Skin | (vacated) TWA: 200 ppm | TWA: 260 mg/m ³ |
| | | (vacated) TWA: 260 mg/m ³ | STEL: 250 ppm |
| | | (vacated) STEL: 250 ppm | STEL: 325 mg/m ³ |
| | | (vacated) STEL: 325 mg/m ³ | |
| | | (vacated) Skin | |

Appropriate engineering controls

Engineering Controls Emergency showers, eyewash stations, ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear, colorless
Odor Odor threshold Clear threshol

pH 7.0

Melting point / freezing point

Boiling point / boiling range

No information available
No information available

Flash point 85 C

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Relative density No information available Water solubility Miscible with water Solubility in other solvents No information available Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available

10. STABILITY AND REACTIVITY

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid None known

Incompatible materials Oxidizers. Bases.

Hazardous Decomposition Products Formaldehyde. Carbon monoxide. Carbon dioxide (CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Harmful by inhalation.

4499 - 10% Formalin Fixative, Neutral, Phosphate Buffered

Eye contact Risk of serious damage to eyes.

Skin contact May cause sensitization by skin contact.

Ingestion No data available.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------------------|--------------------|-------------------------|------------------------|
| Formaldehyde 50-00-0 | = 500 mg/kg (Rat) | = 270 mg/kg (Rabbit) | = 0.578 mg/L (Rat) 4 h |
| Methyl alcohol 67-56-1 | = 5628 mg/kg (Rat) | - | = 83.2 mg/L (Rat) 4 h |
| Sodium Phosphate, dibasic 7558-79-4 | = 17 g/kg (Rat) | - | - |
| Sodium Phosphate, monobasic 7558-80-7 | = 8290 mg/kg (Rat) | > 7940 mg/kg (Rabbit) | - |

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|---------|-------|------|
| Formaldehyde | A2 | Group 1 | Known | X |
| 50-00-0 | | | | |

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|----------------|----------------------|------------------------------------|---------------------------------|
| Formaldehyde | - | 22.6 - 25.7: 96 h Pimephales | 2: 48 h Daphnia magna mg/L LC50 |
| 50-00-0 | | promelas mg/L LC50 flow-through | 11.3 - 18: 48 h Daphnia magna |
| | | 1510: 96 h Lepomis macrochirus | mg/L EC50 Static |
| | | μg/L LC50 static 41: 96 h | |
| | | Brachydanio rerio mg/L LC50 static | |
| | | 0.032 - 0.226: 96 h Oncorhynchus | |
| | | mykiss mL/L LC50 flow-through 100 | |
| | | - 136: 96 h Oncorhynchus mykiss | |
| | | mg/L LC50 static 23.2 - 29.7: 96 h | |
| | | Pimephales promelas mg/L LC50 | |
| | | static | |
| Methyl alcohol | - | 28200: 96 h Pimephales promelas | - |
| 67-56-1 | | mg/L LC50 flow-through 100: 96 h | |
| | | Pimephales promelas mg/L LC50 | |
| | | static 19500 - 20700: 96 h | |
| | | Oncorhynchus mykiss mg/L LC50 | |
| | | flow-through 18 - 20: 96 h | |
| | | Oncorhynchus mykiss mL/L LC50 | |
| | | static 13500 - 17600: 96 h Lepomis | |
| | | macrochirus mg/L LC50 | |
| | | flow-through | |

Persistence and degradability

4499 - 10% Formalin Fixative, Neutral, Phosphate Buffered

No information available.

Bioaccumulation

No information available.

| Chemical Name | Partition coefficient |
|---------------------------|-----------------------|
| Formaldehyde 50-00-0 | 0.35 |
| Methyl alcohol 67-56-1 | -0.77 |

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container. Emptied containers may contain residue. Continue to follow label

warnings after container is emptied.

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------------------|------|---|------------------------|------------------------|
| Formaldehyde 50-00-0 | U122 | Included in waste streams: K009, K010, K038, K040, K156, K157 | - | U122 |
| Methyl alcohol 67-56-1 | - | Included in waste stream: F039 | - | U154 |

| Chemical Name | California Hazardous Waste Status |
|----------------|-----------------------------------|
| Formaldehyde | Toxic |
| 50-00-0 | Ignitable |
| Methyl alcohol | Toxic |
| 67-56-1 | Ignitable |

14. TRANSPORT INFORMATION

Transportation information is provided as a general reference only and may not be applicable in all situations. This information applies to non-bulk shipments only. Per 49 CRF 173.22, it is the shipper's responsibility to ensure that all materials are properly packaged, classified and labeled prior to shipment.

DOT Not regulated

IATA Not regulated

15. REGULATORY INFORMATION

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--------------------------|-------------------------------|
| Formaldehyde - 50-00-0 | 0.1 |
| Methyl alcohol - 67-56-1 | 1.0 |

SARA 311/312 Hazard Categories

4499 - 10% Formalin Fixative, Neutral, Phosphate Buffered

| Acute health hazard Chronic Health Hazard | No No |
|--|----------|
| Fire hazard | No |
| Sudden release of pressure hazard Reactive Hazard | No No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-------------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Formaldehyde 50-00-0 | 100 lb | - | - | Х |
| Sodium Phosphate, dibasic 7558-79-4 | 5000 lb | - | - | Х |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-------------------------------------|--------------------------|----------------|--|
| Formaldehyde 50-00-0 | 100 lb | 100 lb | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| Methyl alcohol 67-56-1 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Sodium Phosphate, dibasic 7558-79-4 | 5000 lb | - | RQ 5000 lb final RQ RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 | |
|--------------------------|---------------------------|--|
| Formaldehyde - 50-00-0 | Carcinogen | |
| Methyl alcohol - 67-56-1 | Developmental | |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Formaldehyde 50-00-0 | X | X | X |
| Methyl alcohol 67-56-1 | X | X | X |
| Sodium Phosphate, dibasic 7558-79-4 | X | X | Х |

16. OTHER INFORMATION

Prepared By

EKI Regulatory Affairs

Email: reg@eki-chem.com

Revision Date 14-Jun-2015

<u>Disclaimer</u>

E K Industries, Inc. makes no representation as to the comprehensiveness or accuracy of this document. Individuals using this information, or the product to which it refers, must exercise their independent judgment in determining all appropriateness for a particular purpose. Accordingly, E K Industries, Inc. will not be responsible for damages of any kind or nature resulting from the use of this information or the corresponding product. No representations or warranties of any kind or nature, including but not limited to: express warranties, implied warranties or merchantability, or warranties of fitness for a particular purpose, are made hereunder with respect to the information set forth herein or to the product to which the information refers.

End of Safety Data Sheet